

## MSN 1735 (M+F) Amendment 4

### Type-Approval of Marine Equipment (UK Nominated Bodies)

Notice to Manufacturers, Shipbuilders, Shipowners, Ship Operators and Managers, Designers and Marine Consultants, Masters and Officers of Merchant Ships, Skippers of Fishing Vessels and Owners of Yachts and Pleasure Craft

*This Notice amends Merchant Shipping Notice No. MSN 1735 (M+F) and revokes MSN 1735(M+F) Amendment 3.*

#### PLEASE NOTE:-

Where this document provides guidance on the law it should not be regarded as definitive. The way the law applies to any particular case can vary according to circumstances - for example, from vessel to vessel and you should consider seeking independent legal advice if you are unsure of your own legal position.

#### Summary

This Notice implements changes to the listing of equipment in Annex A.2 of the European Council Directive 96/98/EC of 20 December 1996 on marine equipment made by EU Commission Directive 2009/26/EC of 6 April 2009. The changes apply where no detailed internationally agreed testing standard exists. Equipment listed in the amended Annex A.2. will continue to be type approved by the UK's Nominated Bodies until international standards are agreed and the products are transferred to Annex A.1 of the Marine Equipment Directive and into MSN 1734 (M+F).

#### Key Points

- This Notice further amends MSN 1735 (M + F) and revokes and replaces MSN 1735 (M + F) Amendment 3. It has effect from 6 April 2010
- This Notice implements Commission Directive 2009/26/EC of 6 April 2009
- This Notice updates the United Kingdom's designated Nominated Body contact list

#### 1. Introduction

- 1.1 The Merchant Shipping (Delegation of Type Approval) Regulations 1996 (S.I. 1996 No 147) provide for Nominated Bodies to undertake the "type approval" of marine equipment, of a safety or pollution prevention nature, for use on board United Kingdom ships. This legislation was supplemented by The Merchant Shipping (Marine Equipment) Regulations 1999 (SI 1999 No.1957) which implemented the European Council (EC) Directive 96/98/EC of 20 December 1996 on marine equipment ("the MED"). This introduced EU

Notified Bodies for type approval of MED Annex A.1 listed marine equipment (see MSN 1734 (M+F) as amended by MSN 1734 amendment 4 for further details).

- 1.2 Commission Directives 98/85/EC, of 11 November 1998, 2001/53/EC of 10 July 2001, 2002/75/EC of 2 September 2002 and 2008/67/EC of 30 June 2008 further amended the list of marine equipment for which no agreed international standard existed but which require type approval.

## **2. Amendment to MED Directive and to MSN 1735 (M+F) Annex**

- 2.1 In response to changes to the testing standards developed by those organisations listed in Article 2(n) of the MED, the EC Commission has again issued an amending Directive that updates the list of equipment for which no agreed international testing standards currently exist. These updates are set out in Annex A.2 of Directive 2009/26/EC, published in the Official Journal of the European Communities (Volume 52, L 113 of 5<sup>th</sup> May 2009)<sup>1</sup> and are required to be transposed into UK law by 6<sup>th</sup> April 2010.
- 2.2 On 6 April 2010 the updates in Annex A.2 of Directive 2009/26/EC are implemented in UK law by Annex A.2 of this MSN, which replaces Annex A.2 of MSN 1735 (M + F). The previous Annex A.2 to MSN 1735 (M+F) is revoked and replaced by the new Annex A.2. of this Notice as from 6 April 2010. MSN 1735 (M+F) Amendment 3 is revoked as from 6 April 2010.
- 2.3 Annex A.2 of this MSN also includes a list of “other” marine equipment some of which requires type approval as a consequence of (but not limited to) one or more of the following regulations:

Statutory Instrument 99 No. 1644 The Merchant Shipping (Implementation Schedule for Bulk Carriers) Regulations ~ Merchant Shipping Additional Safety Measures for Bulk Carriers) Regulations) 1999

Statutory Instrument 1996 No. 75 The Merchant Shipping (Distress Signals and Prevention of Collisions) Regulations

Statutory Instrument 1997 No. 1509 The Merchant Shipping (Cargo Ship Construction) Regulations

Statutory Instrument 1998 No. 1012 The Merchant Shipping (Fire Protection Large Ships) Regulations

Statutory Instrument 1997 No. 1508 The Merchant Shipping (Crew Accommodation) Regulations

Statutory Instrument 1998 No. 2070 The Merchant Shipping (Radio Installations) Regulations

Statutory Instrument 1999 No. 2205 The Merchant Shipping and Fishing Vessels (Personal Protective Equipment) Regulations

Statutory Instrument 1999 No. 2721 The Merchant Shipping (Life Saving Appliances for Ships) Regulations

Statutory Instrument 2000 No. 1850 The Merchant Shipping (EPIRB Registration) Regulations

Statutory Instrument 2002 No. 1473 The Merchant Shipping (Safety of Navigation) Regulations

Statutory Instrument 2004 No. 302 The Merchant Shipping (High Speed Craft) Regulations

Statutory Instrument 2008 No.2924 The Merchant Shipping (Prevention of Air Pollution from Ships) Regulations

**3. Update to UK's Nominated Bodies.**

3.1 On 6 April 2010 Section 8 of MSN 1735 (Information about Type Approvals) is revoked and replaced by the Amending Section 8 in this MSN. The amending Section 8 contains an updated contact list of UK Nominated Bodies approved to undertake type approval of the equipment listed. This replaces the original Section 8 in MSN 1735 (M+F) and revokes MSN 1735 (M+F) Amendment 3.

3.2 For equipment which is not listed in Annex A.2 to this MSN, or in MSN 1734 (M + F) as amended by MSN 1734 (M + F) amendment 4, and which requires to be type approved, contact the MCA at:

Corporate Governance and Risk Branch  
Maritime and Coastguard Agency  
Spring Place  
105 Commercial Place  
Southampton SO15 1EG  
Tel: 023 80329 186  
Fax: 023 80329 388

<sup>1</sup>The Official Journals may be obtained from:

The Stationery Office Ltd, Customer Services, PO Box 29, Norwich NR3 1GN; or from the EUR-Lex website (<http://eur-lex.europa.eu/en/index.htm>)

## More Information

Corporate Governance and Risk Branch  
Maritime and Coastguard Agency  
Spring Place  
105 Commercial Road  
Southampton  
SO15 1EG

Tel : +44 (0) 23 8032 9186  
Fax : +44 (0) 23 8032 9388  
e-mail: [MTU@mcga.gov.uk](mailto:MTU@mcga.gov.uk)

General Inquiries: [info@mcga.gov.uk](mailto:info@mcga.gov.uk)

MCA Website Address: [www.mcga.gov.uk](http://www.mcga.gov.uk)



File Ref: MS 107/008/0058

Published: March 2010  
Please note that all addresses and  
telephone numbers are correct at time of publishing

© Crown Copyright 2010

**Safer Lives, Safer Ships, Cleaner Seas**

*An executive agency of the  
Department for  
**Transport***

*When printed by the MCA the material used contains a minimum 75% post-consumer waste paper*

**Amending Section 8 - Information about Type Approvals  
MSN 1735 (M+F) Amendment 3**

8.1. Information concerning Type Approved Marine Equipment and how to obtain type approval for equipment listed in the Annex A.2. is available from:

ABS Europe Ltd  
1 Frying Pan Alley  
London E1 7HR  
Tel: 0207 377 2453  
Fax: 0207 247 3255

Bureau Veritas Marine Division  
Head of Department Technology Equipment  
67/71 Boulevard du Chateau  
92200 Neuilly-sur-Seine  
France  
Tel. + 33 1 55 24 75 73  
Fax. + 33 1 55 24 70 45

Det Norske Veritas  
Palace House  
3 Cathedral Street  
London SE1 9DE  
Tel: 0207 357 6080  
Fax: 0207 357 6048

Germanischer Lloyd AG  
Vorsetzen 35  
20459 Hamburg  
Germany  
Tel: 0049 40 36149 319  
Fax: 0049 40 36149 7399

London Design Support Services  
Lloyds Register EMEA  
71 Fenchurch Street  
London EC3M 4BS  
Tel: 0207 423 2566  
Fax: 0207 423 2053

QINETIQ Ltd.  
Cody Technology Park  
Building A5 Room 1005  
Ivley Road  
Farnborough GU14 0LX  
Tel: 01252 394 009 or 01252 394 236  
Fax: 01252 397 058

Registro Interbationale Navale (RINa Spa)  
4<sup>th</sup> Floor, Kingston House  
29-31 Kingston Crescent  
Portsmouth  
PO2 8AA  
Tel: 02392 666320  
Fax: 02392 666845

**ANNEX A.2. EQUIPMENT FOR WHICH NO DETAILED TESTING STANDARDS EXIST IN INTERNATIONAL INSTRUMENTS**

**1. Life saving appliances**

**1. Life-saving appliances**

Column 4: IMO MSC/Circular 980 should apply except when superseded by the specific instruments referred to in Column 4.

No.	Item designation	Regulation SOLAS 74 where “type approval” is required	Regulations of SOLAS 74 and the relevant resolutions and circulars of the IMO, as applicable	Testing standards	Modules for conformity assessment
1	2	3	4	5	6
A.2/1.1	Radar reflector for liferafts	-Reg. III/4, -Reg. III/34, -Reg. X/3.	-IMO Res. MSC.48(66)-(LSA Code).		
A.2/1.2	Immersion suit materials	Deliberately left blank			
A.2/1.3	Float-free launching appliances for survival craft	-Reg. III/4, -Reg. III/34.	Reg. III/13, -Reg. III/16, -Reg. III/26, -Reg. III/34, -IMO Res. MSC.36(63)-(1994 HSC Code) 8, -IMO Res. MSC.48(66)-(LSA Code) I, IV, VI, -IMO Res. MSC.97(73)-(2000 HSC Code) 8.		
A.2/1.4	Embarkation ladders	Moved to A.1/1.29			
A.2/1.5	Public address & general emergency alarm system (when used as fire alarm device item A.1/3.53 shall apply)	-Reg. III/6.	-IMO Res. MSC.36(63)-(1994 HSC Code), -IMO Res. MSC.48(66)-(LSA Code), -IMO Res. MSC.97(73)-(2000 HSC Code), -IMO MSC/Circ.808.		

**Other ~ Life saving appliances**

<b>Item designation</b>
Lifeboat equipment (oars, knives, matches, torches, electrical equipment, etc)
LSA gas inflation system
LSA miscellaneous equipment (emergency life-line etc.)
Lifeboat manual pumps
Emergency equipment lockers
Sea anchors
Survival craft first aid kits
Survival craft rations and water
Lifejacket material
Non-SOLAS liferafts, rescue boats and inflatable boats
Foam buoyancy material
Glass fibre materials
Polyester resin
Lifejackets - inflatable (Adult/Child) to modified CAA specification - single compartment
Float free arrangements for Search and Rescue Transponder (SART)

**2. Marine Pollution Prevention**

**2. Marine pollution prevention**

No.	Item designation	Regulation MARPOL 73/78 where "type approval" is required	Regulations of MARPOL 73/78 and the relevant resolutions and circulars of the IMO, applicable	Testing standards	Modules for conformity assessment
1	2	3	4	5	6
A.2/2.1	On- board NOx monitoring and recording devices	Moved to A.1/2.8			
A.2/2.2	On-board exhaust gas cleaning systems	-Annex VI, Reg. 13, -Annex VI, Reg. 14.	-Annex VI Reg. 13, -Annex VI Reg. 14.	-IMO Res. MEPC.170(57).	
A.2/2.3	Other equivalent methods to reduce on board NOx emissions	-Annex VI, Reg. 13.	-Annex VI, Reg. 13.		
A.2/2.4	Other technological methods to limit SOx emissions	Moved to A.1/2.9			

**Other Marine Pollution prevention equipment**

Item designation	
Crude oil washing machines	MARPOL 73/78 Annex 1 Regulation 33.2, IMO Resolution A.466(XI) para 4.2 as amended

**3. Fire protection equipment**

**3. Fire protection equipment**

No.	Item designation	Regulation SOLAS 74 where “type approval” is required	Regulations of SOLAS 74 and the relevant resolutions and circulars of the IMO, as applicable	Testing standards	Modules for conformity assessment
1	2	3	4	5	6
A.2/3.1	Non-portable and transportable extinguishers	Moved to A.1/3.52			
A.2/3.2	Nozzles for fixed pressure water-spraying fire-extinguishing systems for special category spaces, ro-ro cargo spaces, ro-ro spaces and vehicle spaces	Moved to A.1/3.49			
A.2/3.3	Cold-weather starting of generator sets (starting devices)	-Reg. II-1/44, -Reg. X/3.	-Reg. II-1/44, -IMO Res. MSC.36(63)-(1994 HSC Code), -IMO Res. MSC.97(73)-(2000 HSC Code).		
A.2/3.4	Dual purpose type nozzles (spray/jet type)	Moved to A.1/3.55			

1	2	3	4	5	6
A.2/3.5	Fixed fire detection and fire alarm systems components for control stations, service spaces, accommodation spaces, machinery spaces and unattended machinery spaces	Moved to A.1/3.51			
A.2/3.6	Smoke detectors	Moved to A.1/3.51			
A.2/3.7	Heat detectors	Moved to A.1/3.51			
A.2/3.8	Electric safety lamp	-Reg. II-2/10, -Reg. X/3, -IMO Res. MSC.98(73)- (FSS Code).	-Reg. II-2/10, -IMO Res. MSC.36(63)-(1994 HSC Code), -IMO Res. MSC.97(73)-(2000 HSC Code), -IMO Res. MSC.98(73)-(FSS Code).	-IEC Publication 79.	
A.2/3.9	Protective clothing resistant to chemical attack	Reg. II-2/19.	-Reg. II-2/19, -IMO Res. MSC.36(63)-(1994 HSC Code) 7, -IMO Res. MSC.97(73)-(2000 HSC Code) 7.	-EN 943-1 (2002), -EN 943-1 (2002) including AC (2005), -EN 943-2 (2002), -EN ISO 6529 (2003), -EN ISO 6530 (2005), -EN 14605 (2005), -IMO MSC/Circ.1120.	
A.2/3.10	Low-location lighting systems	Moved to A.1/3.40			
A.2/3.11	Nozzles for fixed pressure water spraying fire extinguishing systems for machinery spaces	Moved to A.1/3.10			

1	2	3	4	5	6
A.2/3.12	Equivalent fixed gas fire extinguishing systems for machinery spaces and cargo pump rooms	Moved to A.1/3.45			
A.2/3.13	Compressed airline breathing apparatus (high speed craft)	-Reg. II-2/10, -Reg. X/3, -IMO Res. MSC.98(73)-(FSS Code) 3.	-Reg. II-2/10, -IMO Res. MSC.36(63)-(1994 HSC Code) 7, -IMO Res. MSC.97(73)-(2000 HSC Code) 7, -IMO Res. MSC.98(73)-(FSS Code) 3.	-EN 14593-1 (2005), -EN 14593-2 (2005).	
A.2/3.14	Fire hoses (reel type)	Moved to A.1/3.56			
A.2/3.15	Sample extraction smoke detection systems components	-Reg. II-2/7, -Reg. II-2/19, -Reg. II-2/20, -IMO Res. MSC.98(73)-(FSS Code).	-Reg. II-2/7, -Reg. II-2/19, -Reg. II-2/20, -IMO Res. MSC.98(73)-(FSS Code).		
A.2/3.16	Flame detectors	Moved to A.1/3.51			
A.2/3.17	Manual call points	Moved to A.1/3.51			
A.2/3.18	Alarm devices	Moved to A.1/3.53			
A.2/3.19	Fixed water based local application fire fighting systems components for use in category 'A' machinery spaces.	Moved to A.1/3.48			
A.2/3.20	Upholstered furniture	Moved to A.1/3.20			
A.2/3.21	Paint lockers and flammable liquid lockers fire extinguishing systems components	-Reg. II-2/10.	-Reg. II-2/10, -IMO Res. MSC.98(73)-(FSS Code), -IMO MSC.1/Circ.1239.		
A.2/3.22	Galley exhaust Duct fixed fire extinguishing systems components	-Reg. II-2/9.	-Reg. II-2/9.		

1	2	3	4	5	6
A.2/3.23	Helicopter deck fire extinguishing systems components	-Reg. II-2/18.	-Reg. II-2/18, -IMO MSC.1/Circ.1239.	-EN 13565-1 (2003) including A1 (2007).	
A.2/3.24	Portable foam applicator units	-Reg. II-2/10, -Reg. II-2/20, -Reg. X/3.	-Reg. II-2/10, -Reg. II-2/20, -IMO Res. MSC.36(63)-(1994 HSC Code) 7, -IMO Res. MSC.97(73)-(2000 HSC Code) 7, -IMO Res. MSC.98(73)-(FSS Code) 4, -IMO MSC.1/Circ.1239.		
A.2/3.25	C class divisions	-Reg. II-2/3.	-Reg. II-2/3.	-IMO Res. A.653(16), -IMO Res. A.799(19), -IMO Res. MSC.61(67)-(FTP Code) Annex 1 Part 1 and Part 5 and Annex 2, -ISO 1716 (1973).	
A.2/3.26	Gaseous fuel systems used for domestic purposes (components)	-Reg. II-2/4.	-Reg. II-2/4, -IMO MSC.1/Circ.1276.		
A.2/3.27	Fixed gas fire extinguishing systems (CO <sub>2</sub> ) components.	-Reg. II-2/5, -Reg. II-2/10, -Reg. X/3.	-Reg. II-2/5, -Reg. II-2/10, -Reg. II-2/20, -IMO Res. MSC.36(63)-(1994 HSC Code) 7, -IMO Res. MSC.97(73)-(2000 HSC Code) 7, -IMO Res. MSC.98(73)-(FSS Code) 7.	-EN 12094-1 (2003), -EN 12094-2 (2003), -EN 12094-3 (2003), -EN 12094-4 (2004), -EN 12094-5 (2006), -EN 12094-6 (2006), -EN 12094-7 (2000) including A1 (2005), -EN 12094-8 (2006), -EN 12094-10 (2003), -EN 12094-11 (2003), -EN 12094-13 (2001) including AC (2002), -EN 12094-16 (2003).	

1	2	3	4	5	6
A.2/3.28	Medium expansion foam fire extinguishing systems components - fixed deck foam for tankers	Moved to A.1/3.57			
A.2/3.29	Fixed low expansion foam fire extinguishing systems components for machinery spaces and tanker deck protection.	Moved to A.1/3.58			
A.2/3.30	Expansion foam for fixed fire extinguishing systems for chemical tankers	Moved to A.1/3.59			
A.2/3.31	Water spraying hand-operated system	-Reg. II-2/10,	-Reg. II-2/10, A800(19).		

## Other ~ Fire Protection Equipment

Item designation
Firemain and hydrants (components)
Fire blankets
Remote closing valves for oil fuels
Portable foam applicator units
Fixed pressure water spraying fire extinguishing system in cargo spaces
Paint lockers and flammable liquid lockers fire extinguishing system (components)
Galley exhaust duct fixed fire extinguishing system (components)
Helicopter deck fire extinguishing system (components)
C class divisions
Fixed low expansion foam extinguishing system for deck and machinery spaces (components)
Expansion foam for fixed fire extinguishing system for chemical tankers
Gaseous fuel systems used for domestic purposes (components)
Fixed CO <sub>2</sub> system (components)
Sample extraction smoke detection system
Fire hose reels
Safety lamps & torches
Deck foam systems
Pressure Vacuum Valves (other than pressure vacuum valves for the cargo tanks of oil tankers)
International Shore Connection

#### 4. Navigation equipment

#### 4. Navigation equipment

Notes applicable to section 4: Navigation equipment

Columns 3 and 4: References to SOLAS Chapter V are to SOLAS 1974 as amended by MSC 73 and entering into force on 1 July 2002.

No.	Item designation	Regulation SOLAS 74 where “type approval” is required	Regulations of SOLAS 74 and the relevant resolutions and circulars of the IMO, as applicable	Testing standards	Modules for conformity assessment
1	2	3	4	5	6
A.2/4.1	Gyro compass for high-speed craft	Moved to A.1/4.31			
A.2/4.2	Heading control system for high-speed craft (formerly auto-pilot)	Moved to A.1/4.40			
A.2/4.3	Transmitting heading device THD (GNSS method)	Moved to A.1/4.41			
A.2/4.4	Daylight signalling lamp	-Reg. V/18, -Reg. X/3, -IMO Res. MSC.36(63)-(1994 HSC Code), -IMO Res. MSC.97(73)-(2000 HSC Code).	-Reg. V/19, -IMO Res. A.694(17), -IMO Res. MSC.36(63)-(1994 HSC Code), -IMO Res. MSC.95(72), -IMO Res. MSC.97(73)-(2000 HSC Code).	-EN 60945 (2002) -ISO 25861 (2007), or, -IEC 60945 (2002), -ISO 25861 (2007).	
A.2/4.5	Searchlight for high-speed craft	Moved to A.1/4.42			
A.2/4.6	Night vision equipment for high-speed craft	Moved to A.1/4.43			
A.2/4.7	Track control system	Moved to A.1/4.33			

1	2	3	4	5	6
A.2/4.8	Electronic chart display and information system (ECDIS).	Moved to A.1/4.30			
A.2/4.9	Electronic chart display and information system (ECDIS) backup	Moved to A.1/4.30			
A.2/4.10	Raster chart display system (RCDS)	Moved to A.1/4.30			
A.2/4.11	Combined GPS/Glonass equipment	-Reg. V/18, -Reg. X/3, -IMO Res. MSC.36(63)- (1994 HSC Code), -IMO Res. MSC.97(73)- (2000 HSC Code).	-Reg. V/19, -IMO Res. A.694(17), -IMO Res. MSC.36(63)-(1994 HSC Code), -IMO Res. MSC.74(69), -IMO Res. MSC.97(73)-(2000 HSC Code).	-EN 60945 (2002), -EN 61162 series,  or  -IEC 60945 (2002), -IEC 61162 series.	
A.2/4.12	DGPS, DGlonass equipment	Moved to A.1/4.44, A.1/4.50 and A.1/4.51			
A.2/4.13	Gyro compass for high-speed craft	Moved to A.1/4.31			
A.2/4.14	Voyage data recorder (VDR)	Moved to A.1/4.29			
A.2/4.15	Integrated navigation system	-Reg. V/18, -Reg. X/3, -IMO Res. MSC.36(63)- (1994 HSC Code) 13, -IMO Res. MSC.97(73)- (2000 HSC Code) 13.	-Reg. V/19, -IMO Res. A.694(17), -IMO Res. MSC.86(70).	-EN 60945 (2002), -EN 61162 series, -IEC 61924 (2006),  or  -IEC 60945 (2002), -IEC 61162 series, -IEC 61924 (2006).	
A.2/4.16	Integrated bridge system	Deliberately left blank			

1	2	3	4	5	6
A.2/4.17	Radar target enhancer	-Reg. V/18, -Reg. X/3, -IMO Res. MSC.36(63)- (1994 HSC Code), -IMO Res. MSC.97(73)- (2000 HSC Code).	-IMO Res. A.694(17), -IMO Res. MSC.164(78), -ITU-R M 1176 (10/95).	-EN 60945 (2002),  or  -IEC 60945 (2002).	
A.2/4.18	Sound reception system	-Reg. V/18, -Reg. X/3, -IMO Res. MSC.36(63)- (1994 HSC Code), -IMO Res. MSC.97(73)- (2000 HSC Code).	-Reg. V/19, -IMO Res. A.694(17), -IMO Res. MSC.36(63)-(1994 HSC Code), -IMO Res. MSC.86(70), -IMO Res. MSC.97(73)-(2000 HSC Code).	-EN 60945 (2002), -EN 61162 series,  or  -IEC 60945 (2002), -IEC 61162 series.	
A.2/4.19	Magnetic compass for high speed craft	-Reg. X/3, -IMO Res. MSC.36(63)- (1994 HSC Code), -IMO Res. MSC.97(73)- (2000 HSC Code).	-IMO Res. A.382(X), -IMO Res. A.694(17), -IMO Res. MSC.36(63)-(1994 HSC Code), -IMO Res. MSC.97(73)-(2000 HSC Code).	-EN ISO 449 (1999), -EN ISO 694 (2001), -ISO 1069 (1973), -ISO 2269 (1992), -EN 60945 (2002),  or  -ISO 449 (1997), -ISO 694 (2000), -ISO 1069 (1973), -ISO 2269 (1992), -IEC 60945 (2002).	
A.2/4.20	Track control system for high-speed craft	-Reg. X/3, -IMO Res. MSC.36(63)- (1994 HSC Code), -IMO Res. MSC.97(73)- (2000 HSC Code).	-IMO Res. A.694(17), -IMO Res. MSC.36(63)-(1994 HSC Code), -IMO Res. MSC.97(73)-(2000 HSC Code).	-EN 60945 (2002), -EN 61162 series,  or  -IEC 60945 (2002), -IEC 61162 series.	
A.2/4.21	Chart facilities for shipborne radar	Moved to A.1/4.45			

1	2	3	4	5	6
A.2/4.22	Transmitting heading device THD (gyroscopic method)	Moved to A.1/4.46			
A.2/4.23	Transmitting heading device THD (magnetic method)	Moved to A.1/4.2			
A.2/4.24	Thrust indicator	-Reg. V/18, -Reg. X/3, -IMO Res. MSC.36(63)-(1994 HSC Code), -IMO Res. MSC.97(73)-(2000 HSC Code).	-Reg. V/19, -IMO Res. A.694(17), -IMO Res. MSC.36(63)-(1994 HSC Code), -IMO Res. MSC.97(73)-(2000 HSC Code).	-EN 60945 (2002), -EN 61162 series,  or  -IEC 60945 (2002), -IEC 61162 series.	
A.2/4.25	Lateral thrust, pitch and mode indicators	-Reg. V/18, -Reg. X/3, -IMO Res. MSC.36(63)-(1994 HSC Code), -IMO Res. MSC.97(73)-(2000 HSC Code).	-Reg. V/19, -IMO Res. A.694(17), -IMO Res. MSC.36(63)-(1994 HSC Code), -IMO Res. MSC.97(73)-(2000 HSC Code).	-EN 60945 (2002), -EN 61162 series,  or  -IEC 60945 (2002), -IEC 61162 series.	
A.2/4.26	Rate-of-turn indicator	Moved to A.1/4.9			
A.2/4.27	Rudder angle indicator	Moved to A.1/4.20			
A.2/4.28	Propeller revolution indicator	Moved to A.1/4.21			
A.2/4.29	Pitch indicator	Moved to A.1/4.22			

1	2	3	4	5	6
A.2/4.30	Integrated bridge system	-Reg. V/18, -Reg. X/3, -IMO Res. MSC.36(63)-(1994 HSC Code) 13, -IMO Res. MSC.97(73)-(2000 HSC Code) 13.	-Reg. V/19, -IMO Res. A.694 (17), -IMO Res. MSC.36(63)-(1994 HSC Code) 15, -IMO Res. MSC.64(67), -IMO Res. MSC.97(73)-(2000 HSC Code) 15.	-EN 60945 (2002), -EN 61162 Series, -EN 61209 (1999),  or  -IEC 60945 (2002), -IEC 61162 Series, -IEC 61209 (1999).	
A.2/4.31	Bearing device	-Reg. V/18.	-Reg. V/19.	-EN 60945 (2002).  or  -IEC 60945 (2002).	
A.2/4.32	Bridge navigational watch alarm system (BNWAS)		-IMO Res. A.694(17), -IMO Res. MSC.128(75), -IMO MSC/Circ.982.	-EN 60945 (2002), -EN 61162 Series,  or  -IEC 60945 (2002), -IEC 61162 Series.	
A.2/4.33	Track control system (working at ship's speed from 30 knots and above)	-Reg. V/18, -Reg. X/3.		-EN 60945 (2002).	
A.2/4.34 New item	Equipment with long range identification and tracking (LRIT) capability	-Reg. V/19	-Reg. V/19, -IMO Res. A.694(17), -IMO Res. A.813(19), -IMO Res. MSC.202(81), -IMO Res. MSC.211(81), -IMO Res. MSC.263(84), -IMO MSC.1/Circ 1257.	-EN 60945 (2002), -EN 61162 Series,  or  -IEC 60945 (2002), -IEC 61162 Series.	

1	2	3	4	5	6
A.2/4.35 New item	Galileo receiver	-Reg. V	-Reg. V, -IMO Res. A.694(17), -IMO Res. A.813(19), -IMO Res. MSC.233(82)	-EN 60945 (2002), -EN 61162 Series,  or  -IEC 60945 (2002), -IEC 61162 Series.	
A.2/4.36 New item	AIS SART equipment	-Reg. V	-Reg. V, -IMO Res. MSC.246(83), -IMO Res. MSC.247(83), -IMO Res. MSC.256(84).	-EN 60945 (2002), -EN 61162 Series,  or  -IEC 60945 (2002), -IEC 61162 Series.	

### 5. Radiocommunication equipment

#### 5. Radiocommunication equipment

No.	Item designation	Regulation SOLAS 74 where "type approval" is required	Regulations of SOLAS 74 and the relevant resolutions and circulars of the IMO, as applicable	Testing standards	Modules for conformity assessment
1	2	3	4	5	6
A.2/5.1	VHF EPIRB	-Reg. IV/14, -Reg. X/3, -IMO Res. MSC.36(63)-(1994 HSC Code), -IMO Res. MSC.97(73)-(2000 HSC Code).	-Reg.IV/8, -IMO Res. A.662(16), -IMO Res. A.694(17), -IMO Res. A.805(19), -IMO Res. MSC.36(63)-(1994 HSC Code), -IMO Res. MSC.97(73)-(2000 HSC Code), -ITU-R M.489-2 (10/95), -ITU-R M.693 (06/90).	-EN 60945 (2002),  or  -IEC 60945 (2002).	
A.2/5.2	Radio reserve source of energy	-Reg. IV/14, -Reg. X/3, -IMO Res. MSC.36(63)-(1994 HSC Code), -IMO Res. MSC.97(73)-(2000 HSC Code).	-Reg. IV/13, -IMO Res. A.694(17), -IMO Res. MSC.36(63)-(1994 HSC Code), -IMO Res. MSC.97(73)-(2000 HSC Code), -IMO COMSAR Circ.16, -IMO COMSAR Circ.32.	-EN 60945 (2002),  or  -IEC 60945 (2002).	
A.2/5.3	Inmarsat-F SES	Moved to A.1/5.19.			
A.2/5.4	Distress panel	-Reg. IV/14, -Reg. X/3, -IMO Res. MSC.36(63)-(1994 HSC Code), -IMO Res. MSC.97(73)-(2000 HSC Code).	-Reg. IV/6, -IMO Res. A.694(17), -IMO Res. MSC.36(63)-(1994 HSC Code), -IMO Res. MSC.97(73)-(2000 HSC Code), -IMO MSC/Circ. 862, -IMO COMSAR Circ.32.	-EN 60945 (2002),  or  -IEC 60945 (2002).	

1	2	3	4	5	6
A.2/5.5	Distress alarm or alert panel	-Reg. IV/14, -Reg. X/3, -IMO Res. MSC.36(63)-(1994 HSC Code), -IMO Res. MSC.97(73)-(2000 HSC Code).	-Reg. IV/6, -IMO Res.A.694(17), -IMO Res. MSC.36(63)-(1994 HSC Code), -IMO Res. MSC.97(73)-(2000 HSC Code), -IMO MSC/Circ.862, -IMO COMSAR Circ.32.	-EN 60945 (2002),  or  -IEC 60945 (2002).	
A.2/5.6	L- band EPIRB (Inmarsat)	Deliberately left blank			
A.2/5.7	Ship security alert system		-Reg. XI-2/6, -IMO Res. A.694(17), -IMO Res. MSC.147(77), -IMO MSC/Circ.1072.	-EN 60945 (2002),  or  -IEC 60945 (2002).	

**6. Equipment required under Colreg 72**

**6. Equipment required under Colreg 72**

No.	Item designation	Regulation COLREG 72 where "type approval" is required	Regulations of COLREG and the relevant resolutions and circulars of the IMO, as applicable	Testing standards	Modules for conformity assessment
1	2	3	4	5	6
A.2/6.1	Navigation lights	Moved to A.1/6.1.			
A.2/6.2	Sound signal appliances	-Annex III/3.	-Annex III/3, -IMO Res. A.694(17).	-EN 60945 (2002), -Whistles - Colreg 72 Annex III/1 (Performance), -Bells or Gongs - Colreg 72 Annex III/2 (Performance),  or  -IEC 60945 (1996), -Whistles - Colreg 72 Annex III/1 (Performance), -Bells or Gongs - Colreg 72 Annex III/2 (Performance).	

**7. Bulk carrier safety equipment**

**7. Bulk carrier safety equipment**

No.	Item designation	Regulation SOLAS 74 where “type approval” is required	Regulations of SOLAS 74 and the relevant resolutions and circulars of the IMO, as applicable	Testing standards	Modules for conformity assessment
1	2	3	4	5	6
A.2/7.1	Loading instrument	-Reg. XII/11, -1997 SOLAS Conference Res. 5.	-Reg. XII/11, -1997 SOLAS Conference Res. 5.	-IMO MSC.1/Circ 1229.	
A.2/7.2	Water level detectors on bulk carriers	-IMO Res. MSC.188(79).	-Reg. XII/12, -IMO Res. MSC.188(79).	-IEC 60092-0504, -IEC 60529, -IMO Res. MSC.188(79).	